

Discrete Differential Geometry

Integrable Structure

Alexander I. Bobenko
Yuri B. Suris

Graduate Studies
in Mathematics

Volume 98



American Mathematical Society
Providence, Rhode Island

Editorial Board

David Cox (Chair)

Steven G. Krantz

Rafe Mazzeo

Martin Scharlemann

2000 *Mathematics Subject Classification*. Primary 53–01, 53–02;
Secondary 51Axx, 51Bxx, 53Axx, 37Kxx, 39A12, 52C26.

For additional information and updates on this book, visit
www.ams.org/bookpages/gsm-98

Library of Congress Cataloging-in-Publication Data

Bobenko, Alexander I.

Discrete differential geometry: integrable structure / Alexander I. Bobenko, Yuri B. Suris.

p. cm. — (Graduate studies in mathematics ; v. 98)

Includes bibliographical references and index.

ISBN 978-0-8218-4700-8 (alk. paper)

1. Integral geometry. 2. Geometry, Differential. 3. Discrete geometry. I. Suris, Yuri B., 1963– II. Title.

QA672.B63 2008

516.3'62—dc22

2008029305

Copying and reprinting. Individual readers of this publication, and nonprofit libraries acting for them, are permitted to make fair use of the material, such as to copy a chapter for use in teaching or research. Permission is granted to quote brief passages from this publication in reviews, provided the customary acknowledgment of the source is given.

Republication, systematic copying, or multiple reproduction of any material in this publication is permitted only under license from the American Mathematical Society. Requests for such permission should be addressed to the Acquisitions Department, American Mathematical Society, 201 Charles Street, Providence, Rhode Island 02904-2294, USA. Requests can also be made by e-mail to reprint-permission@ams.org.

© 2008 by the American Mathematical Society. All rights reserved.

The American Mathematical Society retains all rights

except those granted to the United States Government.

Printed in the United States of America.

∞ The paper used in this book is acid-free and falls within the guidelines
established to ensure permanence and durability.

Visit the AMS home page at <http://www.ams.org/>

10 9 8 7 6 5 4 3 2 1 13 12 11 10 09 08

Contents

Preface	xi
Introduction	xiii
What is discrete differential geometry	xiii
Integrability	xv
From discrete to smooth	xvii
Structure of this book	xxi
How to read this book	xxii
Acknowledgements	xxiii
Chapter 1. Classical Differential Geometry	1
1.1. Conjugate nets	2
1.1.1. Notion of conjugate nets	2
1.1.2. Alternative analytic description of conjugate nets	3
1.1.3. Transformations of conjugate nets	4
1.1.4. Classical formulation of F-transformation	5
1.2. Koenigs and Moutard nets	7
1.2.1. Notion of Koenigs and Moutard nets	7
1.2.2. Transformations of Koenigs and Moutard nets	9
1.2.3. Classical formulation of the Moutard transformation	10
1.3. Asymptotic nets	11
1.4. Orthogonal nets	12
1.4.1. Notion of orthogonal nets	12
1.4.2. Analytic description of orthogonal nets	14
1.4.3. Spinor frames of orthogonal nets	15
1.4.4. Curvatures of surfaces and curvature line parametrized surfaces	16

1.4.5.	Ribaucour transformations of orthogonal nets	17
1.5.	Principally parametrized sphere congruences	19
1.6.	Surfaces with constant negative Gaussian curvature	20
1.7.	Isothermic surfaces	22
1.8.	Surfaces with constant mean curvature	26
1.9.	Bibliographical notes	28
Chapter 2.	Discretization Principles. Multidimensional Nets	31
2.1.	Discrete conjugate nets (Q-nets)	32
2.1.1.	Notion and consistency of Q-nets	32
2.1.2.	Transformations of Q-nets	38
2.1.3.	Alternative analytic description of Q-nets	40
2.1.4.	Continuous limit	42
2.2.	Discrete line congruences	43
2.3.	Discrete Koenigs and Moutard nets	47
2.3.1.	Notion of dual quadrilaterals	47
2.3.2.	Notion of discrete Koenigs nets	49
2.3.3.	Geometric characterization of two-dimensional discrete Koenigs nets	54
2.3.4.	Geometric characterization of three-dimensional discrete Koenigs nets	56
2.3.5.	Function ν and Christoffel duality	58
2.3.6.	Moutard representative of a discrete Koenigs net	60
2.3.7.	Continuous limit	60
2.3.8.	Notion and consistency of T-nets	61
2.3.9.	Transformations of T-nets	63
2.3.10.	Discrete M-nets	65
2.4.	Discrete asymptotic nets	66
2.4.1.	Notion and consistency of discrete asymptotic nets	66
2.4.2.	Discrete Lelievre representation	70
2.4.3.	Transformations of discrete A-nets	72
2.5.	Exercises	73
2.6.	Bibliographical notes	82
Chapter 3.	Discretization Principles. Nets in Quadrics	87
3.1.	Circular nets	88
3.1.1.	Notion and consistency of circular nets	88
3.1.2.	Transformations of circular nets	92
3.1.3.	Analytic description of circular nets	93
3.1.4.	Möbius-geometric description of circular nets	96

3.2.	Q-nets in quadrics	99
3.3.	Discrete line congruences in quadrics	101
3.4.	Conical nets	103
3.5.	Principal contact element nets	106
3.6.	Q-congruences of spheres	110
3.7.	Ribaucour congruences of spheres	113
3.8.	Discrete curvature line parametrization in Lie, Möbius and Laguerre geometries	115
3.9.	Discrete asymptotic nets in Plücker line geometry	118
3.10.	Exercises	120
3.11.	Bibliographical notes	123
Chapter 4.	Special Classes of Discrete Surfaces	127
4.1.	Discrete Moutard nets in quadrics	127
4.2.	Discrete K-nets	130
4.2.1.	Notion of a discrete K-net	130
4.2.2.	Bäcklund transformation	133
4.2.3.	Hirota equation	133
4.2.4.	Discrete zero curvature representation	139
4.2.5.	Discrete K-surfaces	139
4.2.6.	Discrete sine-Gordon equation	142
4.3.	Discrete isothermic nets	145
4.3.1.	Notion of a discrete isothermic net	145
4.3.2.	Cross-ratio characterization of discrete isothermic nets	147
4.3.3.	Darboux transformation of discrete isothermic nets	151
4.3.4.	Metric of a discrete isothermic net	152
4.3.5.	Moutard representatives of discrete isothermic nets	155
4.3.6.	Christoffel duality for discrete isothermic nets	156
4.3.7.	3D consistency and zero curvature representation	158
4.3.8.	Continuous limit	160
4.4.	S-isothermic nets	161
4.5.	Discrete surfaces with constant curvature	170
4.5.1.	Parallel discrete surfaces and line congruences	170
4.5.2.	Polygons with parallel edges and mixed area	170
4.5.3.	Curvatures of a polyhedral surface with a parallel Gauss map	173
4.5.4.	Q-nets with constant curvature	175
4.5.5.	Curvature of principal contact element nets	177

4.5.6. Circular minimal nets and nets with constant mean curvature	178
4.6. Exercises	179
4.7. Bibliographical notes	183
Chapter 5. Approximation	187
5.1. Discrete hyperbolic systems	187
5.2. Approximation in discrete hyperbolic systems	190
5.3. Convergence of Q-nets	196
5.4. Convergence of discrete Moutard nets	197
5.5. Convergence of discrete asymptotic nets	199
5.6. Convergence of circular nets	200
5.7. Convergence of discrete K-surfaces	205
5.8. Exercises	206
5.9. Bibliographical notes	207
Chapter 6. Consistency as Integrability	209
6.1. Continuous integrable systems	210
6.2. Discrete integrable systems	213
6.3. Discrete 2D integrable systems on graphs	215
6.4. Discrete Laplace type equations	217
6.5. Quad-graphs	218
6.6. Three-dimensional consistency	220
6.7. From 3D consistency to zero curvature representations and Bäcklund transformations	222
6.8. Geometry of boundary value problems for integrable 2D equations	227
6.8.1. Initial value problem	228
6.8.2. Extension to a multidimensional lattice	231
6.9. 3D consistent equations with noncommutative fields	235
6.10. Classification of discrete integrable 2D systems with fields on vertices. I	239
6.11. Proof of the classification theorem	242
6.11.1. 3D consistent systems, biquadratics and tetrahedron property	242
6.11.2. Analysis: descending from multiaffine Q to quartic r	245
6.11.3. Synthesis: ascending from quartic r to biquadratic h	247

6.11.4. Synthesis: ascending from biquadratics h^{ij} to multiaffine Q	249
6.11.5. Putting equations $Q = 0$ on the cube	251
6.12. Classification of discrete integrable 2D systems with fields on vertices. II	252
6.13. Integrable discrete Laplace type equations	256
6.14. Fields on edges: Yang-Baxter maps	261
6.15. Classification of Yang-Baxter maps	266
6.16. Discrete integrable 3D systems	272
6.16.1. Fields on 2-faces.	272
6.16.2. Fields on vertices.	276
6.17. Exercises	279
6.18. Bibliographical notes	286
Chapter 7. Discrete Complex Analysis. Linear Theory	291
7.1. Basic notions of discrete linear complex analysis	291
7.2. Moutard transformation for discrete Cauchy-Riemann equations	294
7.3. Integrable discrete Cauchy-Riemann equations	297
7.4. Discrete exponential functions	300
7.5. Discrete logarithmic function	302
7.6. Exercises	307
7.7. Bibliographical notes	308
Chapter 8. Discrete Complex Analysis. Integrable Circle Patterns	311
8.1. Circle patterns	311
8.2. Integrable cross-ratio and Hirota systems	313
8.3. Integrable circle patterns	316
8.4. z^a and $\log z$ circle patterns	319
8.5. Linearization	324
8.6. Exercises	326
8.7. Bibliographical notes	327
Chapter 9. Foundations	331
9.1. Projective geometry	331
9.2. Lie geometry	335
9.2.1. Objects of Lie geometry	335
9.2.2. Projective model of Lie geometry	336
9.2.3. Lie sphere transformations	339

9.2.4.	Planar families of spheres; Dupin cyclides	340
9.3.	Möbius geometry	341
9.3.1.	Objects of Möbius geometry	341
9.3.2.	Projective model of Möbius geometry	344
9.3.3.	Möbius transformations	348
9.4.	Laguerre geometry	350
9.5.	Plücker line geometry	353
9.6.	Incidence theorems	357
9.6.1.	Menelaus' and Ceva's theorems	357
9.6.2.	Generalized Menelaus' theorem	360
9.6.3.	Desargues' theorem	361
9.6.4.	Quadrangular sets	362
9.6.5.	Carnot's and Pascal's theorems	364
9.6.6.	Brianchon's theorem	366
9.6.7.	Miquel's theorem	367
Appendix.	Solutions of Selected Exercises	369
A.1.	Solutions of exercises to Chapter 2	369
A.2.	Solutions of exercises to Chapter 3	376
A.3.	Solutions of exercises to Chapter 4	377
A.4.	Solutions of exercises to Chapter 6	381
Bibliography		385
Notation		399
Index		401

Preface

The intended audience of this book is threefold. We wrote it as a textbook on discrete differential geometry and integrable systems. A one semester graduate course in discrete differential geometry based on this book was held at TU Berlin and TU München several times. At the end of each chapter we included numerous exercises which we recommend for the classes. For some of them (marked with asterisks) solutions are supplied. The standard undergraduate background, i.e., calculus and linear algebra, is required. In particular, no knowledge of differential geometry is expected, although some familiarity with curves and surfaces can be helpful.

On the other hand, this book is also written for specialists in geometry and mathematical physics. It is the first monograph on discrete differential geometry which reflects the progress in this field during the last decade, and it contains many original results. The bibliographical notes at the end of each chapter are intended to provide the reader with an overview of the relevant research literature.

The third group at which this book is targeted are specialists in geometry processing, computer graphics, architectural design, numerical simulations and animation. There is a growing evidence of the importance of intelligent geometric discretizations in these fields. Talking with researchers in these fields, we were asked many questions regarding the discretization of differential geometry. We hope to have answered some of them in this book.

All the readers are encouraged to read or at least to skim the Introduction (some parts of it assume a broader knowledge than the minimum) to see the words and pictures and to get a sense of how the ideas fit together and what does the book cover.

Introduction

What is discrete differential geometry. A new field of *discrete differential geometry* is presently emerging on the border between differential and discrete geometry; see, for instance, the recent book Bobenko-Schröder-Sullivan-Ziegler (2008). Whereas classical differential geometry investigates smooth geometric shapes (such as surfaces), and discrete geometry studies geometric shapes with finite number of elements (such as polyhedra), discrete differential geometry aims at the development of discrete equivalents of notions and methods of smooth surface theory. The latter appears as a limit of refinement of the discretization. Current interest in this field derives not only from its importance in pure mathematics but also from its relevance for other fields: see the lecture course on discrete differential geometry in computer graphics by Desbrun-Grinspun-Schröder (2005), the recent book on architectural geometry by Pottmann-Asperl-Hofer-Kilian (2007), and the mathematical video on polyhedral meshes and their role in geometry, numerics and computer graphics by Janzen-Polthier (2007).

For a given smooth geometry one can suggest many different discretizations with the same continuous limit. Which is the best one? From the theoretical point of view, one would strive to preserve fundamental properties of the smooth theory. For applications the requirements of a good discretization are different: one aims at the best approximation of a smooth shape, on the one hand, and at on the other hand, its representation by a discrete shape with as few elements as possible. Although these criteria are different, it turns out that intelligent theoretical discretizations are distinguished also by their good performance in applications. We mention here as an example the discrete Laplace operator on simplicial surfaces (“cotan formula”) introduced by Pinkall-Polthier (1993) in their investigation of discrete minimal

surfaces, which turned out to be extremely important in geometry processing where it found numerous applications, e.g., Desbrun-Meyer-Alliez (2002), Botsch-Kobbelt (2004), to name but two. Another example is the theory of discrete minimal surfaces by Bobenko-Hoffmann-Springborn (2006), which turned out to have striking convergence properties: these discrete surfaces approximate their smooth analogs with all derivatives.

A straightforward way to discretize differential geometry would be to take its analytic description in terms of differential equations and to apply standard methods of numerical analysis. Such a discretization makes smooth problems amenable to numerical methods. Discrete differential geometry does not proceed in this way. Its main message is:

Discretize the whole theory, not just the equations.

This means that one should develop a discrete theory which respects fundamental aspects of the smooth one; which of the properties are to be taken into account is a nontrivial problem. The discrete geometric theory turns out to be as rich as its smooth counterpart, if not even richer. In particular, there are many famous existence theorems at the core of the classical theory. Proper discretizations open a way to make them constructive. For now, the statement about the richness of discrete differential geometry might seem exaggerated, as the number of supporting examples is restricted (although steadily growing). However, one should not forget that we are at the beginning of the development of this discipline, while classical differential geometry has been developed for centuries by the most outstanding mathematicians.

As soon as one takes advantage of the apparatus of differential equations to describe geometry, one naturally deals with parametrizations. There is a part of classical differential geometry dealing with parametrized surfaces, coordinate systems and their transformations, which is the content of the fundamental treatises by Darboux (1914-27) and Bianchi (1923). Nowadays one associates this part of differential geometry with the theory of integrable systems; see Fordy-Wood (1994), Rogers-Schief (2002). Recent progress in discrete differential geometry has led not only to the discretization of a large body of classical results, but also, somewhat unexpectedly, to a better understanding of some fundamental structures at the very basis of the classical differential geometry and of the theory of integrable systems. It is the aim of this book to provide a systematic presentation of current achievements in this field.

Returning to the analytic description of geometric objects, it is not surprising that remarkable discretizations yield remarkable discrete equations.

The main message of discrete differential geometry, addressed to the integrable systems community, becomes:

Discretize equations by discretizing the geometry.

The profundity and fruitfulness of this principle will be demonstrated throughout the book.

Integrability. We will now give a short overview of the historical development of the *integrability* aspects of discrete differential geometry. The classical period of surface theory resulted in the beginning of the 20th century in an enormous wealth of knowledge about numerous special classes of surfaces, coordinate systems and their transformations, which is summarized in extensive volumes by Darboux (1910, 1914-27), Bianchi (1923), etc. One can say that the local differential geometry of special classes of surfaces and coordinate systems has been completed during this period. Mathematicians of that era have found most (if not all) geometries of interest and knew nearly everything about their properties. It was observed that special geometries such as minimal surfaces, surfaces with constant curvature, isothermic surfaces, orthogonal and conjugate coordinate systems, Ribaucour sphere congruences, Weingarten line congruences etc. have many similar features. Among others we mention Bäcklund and Darboux type transformations with remarkable permutability properties investigated mainly by Bianchi, and the existence of special deformations within the class (associated family). Geometers realized that there should be a unifying fundamental structure behind all these common properties of quite different geometries; and they were definitely searching for this structure; see Jonas (1915) and Eisenhart (1923).

Much later, after the advent of the theory of integrable systems in the the last quarter of the 20th century, these common features were recognized as being associated with the integrability of the underlying differential equations. The theory of integrable systems (called also the theory of solitons) is a vast field in mathematical physics with a huge literature. It has applications in fields ranging from algebraic and differential geometry, enumerative topology, statistical physics, quantum groups and knot theory to nonlinear optics, hydrodynamics and cosmology.

The most famous models of this theory are the Korteweg-de Vries (KdV), the nonlinear Schrödinger and the sine-Gordon equations. The KdV equation played the most prominent role in the early stage of the theory. It was derived by Korteweg-de Vries (1895) to describe the propagation of waves in shallow water. Localized solutions of this equation called *solitons* gave the whole theory its name. The birth of the theory of solitons is associated with the famous paper by Gardner-Green-Kruskal-Miura (1967), where the inverse scattering method for the analytic treatment of the KdV equation

was invented. The sine-Gordon equation is the oldest integrable equation and the most important one for geometry. It describes surfaces with constant negative Gaussian curvature and goes back at least to Bour (1862) and Bonnet (1867). Many properties of this equation which are nowadays associated with integrability were known in classical surface theory.

One can read about the basic structures of the theory of integrable systems in numerous books. We mention just a few of them: Newell (1985), Faddeev-Takhtajan (1986), Hitchin-Segal-Ward (1999), Dubrovin-Krichever-Novikov (2001).

The most commonly accepted features of integrable systems include:

In the theory of solitons nonlinear integrable equations are usually represented as a compatibility condition of a linear system called the *zero curvature representation* (also known as Lax or Zakharov-Shabat representations). Various analytic methods of investigation of soliton equations (like the inverse scattering method, algebro-geometric integration, asymptotic analysis, etc.) are based on this representation.

Another indispensable feature of integrable systems is that they possess *Bäcklund-Darboux transformations*. These special transformations are often used to generate new solutions from the known ones.

It is a characteristic feature of soliton (integrable) partial differential equations that they appear not separately but are always organized in *hierarchies of commuting flows*.

It should be mentioned that there is no commonly accepted mathematical definition of integrability (as the title of the volume “What is integrability?”, Zakharov (1991), clearly demonstrates). Different scientists suggest different properties as the defining ones. Usually, one refers to some additional structures, such as those mentioned above. In this book, we propose an algorithmic definition of integrability given in terms of the system itself.

In both areas, in differential geometry and in the theory of integrable systems, there were substantial efforts to *discretize* the fundamental structures.

In the theory of solitons the problem is to discretize an integrable differential equation preserving its integrability. Various approaches to this problem began to be discussed in the soliton literature starting from the mid-1970s. The basic idea is to discretize the zero curvature representation of the smooth system, i.e., to find proper discrete analogues of the corresponding linear problems. This idea appeared first in Ablowitz-Ladik (1975).

Its various realizations based on the bilinear method, algebro-geometric integration, integral equations, R-matrices, and Lagrangian mechanics were developed in Hirota (1977a,b), Krichever (1978), Date-Jimbo-Miwa (1982-3), Quispel-Nijhoff-Capel-Van der Linden (1984), Faddeev-Takhtajan (1986), Moser-Veselov (1991) (here we give just a few representative references). An encyclopedic presentation of the Hamiltonian approach to the problem of integrable discretization is given in Suris (2003).

The development of this field led to a progress in various branches of mathematics. Pairs of commuting difference operators were classified in Krichever-Novikov (2003). Laplace transformations of difference operators on regular lattices were constructed in Dynnikov-Novikov (1997); see also Dynnikov-Novikov (2003) for a related development of a discrete complex analysis on triangulated manifolds. A characterization of Jacobians of algebraic curves based on algebro-geometric methods of integration of difference equations was given in Krichever (2006).

From discrete to smooth. In differential geometry the original idea of an intelligent discretization was to find a simple explanation of sophisticated properties of smooth geometric objects. This was the main motivation for the early work in this field documented in Sauer (1937, 1970) and Wunderlich (1951). The modern period began with the works by Bobenko-Pinkall (1996a,b) and by Doliwa-Santini (1997), where the relation to the theory of integrable systems was established. During the next decade this area witnessed a rapid development reflected in numerous publications. In particular, joint efforts of the main contributors to this field resulted in the books Bobenko-Seiler (1999) and Bobenko-Schröder-Sullivan-Ziegler (2008). The present book gives a comprehensive presentation of the results of discrete differential geometry of parametrized surfaces and coordinate systems along with its relation to integrable systems. We leave the detailed bibliographical remarks to the notes at the end of individual chapters of the book.

Discrete differential geometry deals with multidimensional discrete nets (i.e., maps from the regular cubic lattice \mathbb{Z}^m into \mathbb{R}^N or some other suitable space) specified by certain geometric properties. In this setting, discrete surfaces appear as two-dimensional layers of multidimensional discrete nets, and their transformations correspond to shifts in the transversal lattice directions. A characteristic feature of the theory is that all lattice directions are considered on an equal footing with respect to the defining geometric properties. Due to this symmetry, discrete surfaces and their transformations become indistinguishable. We associate such a situation with the *multidimensional consistency* (of geometric properties, and of the equations which serve for their analytic description). In each case, multidimensional consistency, and therefore the existence and construction of multidimensional

discrete nets, is seen to rely on some incidence theorems of elementary geometry.

Conceptually, one can think of passing to a continuous limit by refining the mesh size in some of the lattice directions. In these directions the net converges to smooth surfaces whereas those directions that remain discrete correspond to transformations of the surfaces (see Figure 0.1). Differential geometric properties of special classes of surfaces and their transformations arise in this way from (and find their simple explanation in) the elementary geometric properties of the original multidimensional discrete nets. In particular, difficult classical theorems about the permutability of Bäcklund-Darboux type transformations (Bianchi permutability) for various geometries follow directly from the symmetry of the underlying discrete nets, and are therefore built in to the very core of the theory. Thus the transition from differential geometry to elementary geometry via discretization (or, in the opposite direction, the derivation of differential geometry from the discrete differential geometry) leads to enormous conceptual simplifications, and the true roots of the classical theory of special classes of surfaces are found in various incidence theorems of elementary geometry. In the classical differential geometry these elementary roots remain hidden. The limiting process taking the discrete master theory to the classical one is inevitably accompanied by a break of the symmetry among the lattice directions, which always leads to structural complications.




Figure 0.1. From the discrete master theory to the classical theory: surfaces and their transformations appear by refining two of three net directions.

Finding simple discrete explanations for complicated differential-geometric theories is not the only outcome of this development. It is well known that differential equations which analytically describe interesting special classes of surfaces are integrable (in the sense of the theory of integrable systems),

and conversely, many interesting integrable systems admit a differential-geometric interpretation. Having identified the roots of integrable differential geometry in the multidimensional consistency of discrete nets, one is led to a new (geometric) understanding of integrability itself. First of all, we adopt the point of view that the central role in this theory is played by *discrete integrable systems*. In particular, a great variety of integrable differential equations can be derived from several fundamental discrete systems by performing different continuous limits. Further, and more importantly, we arrive at the idea that the multidimensional consistency of discrete equations may serve as a constructive and almost algorithmic *definition* of their integrability. This idea was introduced in Bobenko-Suris (2002a) (and independently in Nijhoff (2002)). This definition of integrability captures enough structure to guarantee such traditional attributes of integrable equations as zero curvature representations and Bäcklund-Darboux transformations (which, in turn, serve as the basis for applying analytic methods such as inverse scattering, finite gap integration, Riemann-Hilbert problems, etc.). A continuous counterpart (and consequence) of multidimensional consistency is the well-known fact that integrable systems never appear alone but are organized into hierarchies of commuting flows.

This conceptual view of discrete differential geometry as the basis of the theory of surfaces and their transformations as well as of the theory of integrable systems is schematically represented in Figure 0.2.

This general picture looks very natural, and there is a common belief that the smooth theories can be obtained in a limit from the corresponding discrete ones. This belief is supported by formal similarities of the corresponding difference and differential equations. However one should not underestimate the difficulty of the convergence theorems required for a rigorous justification of this philosophy.

Solutions to similar problems are substantial in various areas of differential geometry. Classical examples to be mentioned here are the fundamental results of Alexandrov and Pogorelov on the metric geometry of polyhedra and convex surfaces (see Alexandrov (2005) and Pogorelov (1973)). Alexandrov's theorem states that any abstract convex polyhedral metric is uniquely realized by a convex polyhedron in Euclidean 3-space. Pogorelov proved the corresponding existence and uniqueness result for convex Riemannian metrics by approximating smooth surfaces by polyhedra. Another example is Thurston's approximation of conformal mappings by circle packings (see Thurston (1985)). The theory of circle packings (see the book by Stephenson (2005)) is treated as discrete complex analysis. At the core of this theory is the Koebe-Andreev-Thurston theorem which states that any simplicial decomposition of a sphere can be uniquely (up to Möbius transformations)




Figure 0.2. The consistency principle of discrete differential geometry as conceptual basis of the differential geometry of special surfaces and of integrability.

realized by a circle packing. According to Rodin-Sullivan (1987) the conformal Riemann map can be approximated by such circle packings (even with all the derivatives as shown by He-Schramm (1998)).

The first convergence results concerning the transition from the middle to the left column in Figure 0.2 (from discrete to smooth differential geometry) were proven in Bobenko-Matthes-Suris (2003, 2005). This turns the general philosophy of discrete differential geometry into a firmly established

mathematical truth for several important classes of surfaces and coordinate systems, such as conjugate nets, orthogonal nets, including general curvature line parametrized surfaces, surfaces with constant negative Gaussian curvature, and general asymptotic line parametrized surfaces. For some other classes, such as isothermic surfaces, the convergence results are yet to be rigorously established.

The geometric way of thinking about discrete integrability has also led to novel concepts in that theory. An immanent and important feature of various surface parametrizations is the existence of distinguished points, where the combinatorics of coordinate lines changes (like umbilic points, where the combinatorics of the curvature lines is special). In the discrete setup this can be modelled by *quad-graphs*, which are cell decompositions of topological two-manifolds with quadrilateral faces; see Bobenko-Pinkall (1999). Their elementary building blocks are still quadrilaterals, but they are attached to one another in a manner which can be more complicated than in \mathbb{Z}^2 . A systematic development of the theory of integrable systems on quad-graphs has been undertaken in Bobenko-Suris (2002a). In the framework of the multidimensional consistency, quad-graphs can be realized as quad-surfaces embedded in a higher-dimensional lattice \mathbb{Z}^d . This interpretation proves to be fruitful for the analytic treatment of integrable systems on quad-graphs, such as the integral representation of discrete holomorphic functions and the isomonodromic Green's function in Bobenko-Mercat-Suris (2005).

Structure of this book. The structure of this book follows the logic of this Introduction. We start in Chapter 1 with an overview of some classical results from surface theory, focusing on transformations of surfaces. The brief presentation in this chapter is oriented towards the specialists already familiar with the differential geometry of surfaces. The geometries considered include general conjugate and orthogonal nets in spaces of arbitrary dimension, Koenigs nets, asymptotic nets on general surfaces, as well as special classes of surfaces, such as isothermic ones and surfaces with constant negative Gaussian curvature. There are no proofs in this chapter. The analytic proofs are usually tedious and can be found in the original literature. The discrete approach which we develop in the subsequent chapters will lead to conceptually transparent and technically much simpler proofs.

In Chapter 2 we define and investigate discrete analogs of the most fundamental objects of projective differential geometry: conjugate, Koenigs and asymptotic nets and line congruences. For instance, discrete conjugate nets are just multidimensional nets consisting of planar quadrilaterals. Our focus is on the idea of multidimensional consistency of discrete nets and discrete line congruences.

According to Klein's Erlangen Program, the classical geometries (Euclidean, spherical, hyperbolic, Möbius, Plücker, Lie etc.) can be obtained by restricting the projective geometry to a quadric. In Chapter 3 we follow this approach and show that the nets and congruences defined in Chapter 2 can be restricted to quadrics. In this way we define and investigate discrete analogs of curvature line parametrized surfaces and orthogonal nets, and give a description of discrete asymptotic nets within the framework of Plücker line geometry.

Imposing simultaneously several constraints on (discrete) conjugate nets, one comes to special classes of surfaces. This is the subject of Chapter 4. The main examples are discrete isothermic surfaces and discrete surfaces with constant curvature. From the analytic point of view, these are represented by 2-dimensional difference equations (as opposed to the 3-dimensional equations in Chapters 2, 3).

Then in Chapter 5 we develop an approximation theory for hyperbolic difference systems, which is applied to derive the classical theory of smooth surfaces as a continuum limit of the discrete theory. We prove that the discrete nets of Chapters 2, 3, and 4 approximate the corresponding smooth geometries of Chapter 1 and simultaneously their transformations. In this setup, Bianchi's permutability theorems appear as simple corollaries.

In Chapter 6 we formulate the concept of multidimensional consistency as a defining principle of integrability. We derive basic features of integrable systems such as the zero curvature representation and Bäcklund-Darboux transformations from the consistency principle. Moreover, we obtain a complete list of 2-dimensional integrable systems. This classification is a striking application of the consistency principle.

In Chapters 7 and 8 these ideas are applied to discrete complex analysis. We study Laplace operators on graphs and discrete harmonic and holomorphic functions. Linear discrete complex analysis appears as a linearization of the theory of circle patterns. The consistency principle allows us to single out distinguished cases where we obtain more detailed analytic results (like Green's function and isomonodromic special functions).

Finally, in Chapter 9 we give for the reader's convenience a brief introduction to projective geometry and the geometries of Lie, Möbius, Laguerre and Plücker. We also include a number of classical incidence theorems relevant to discrete differential geometry.

How to read this book. Different audiences (see the Preface) should read this book differently, as suggested in Figure 0.3. Namely, Chapter 1 on classical differential geometry is addressed to specialists working in this field. It is thought to be used as a short guide in the theory of surfaces and their

transformations. This is the reason why Chapter 1 does not contain proofs and exercises. Students who use this book for a graduate course and have less or no experience in differential geometry should not read this chapter and should start directly with Chapter 2 (and consult Chapter 1 at the end of the course, after mastering the discrete theory). This was the way how this course was taught in Berlin and München, with no knowledge of differential geometry required. Those interested primarily in applications of discrete differential geometry are advised to browse through Chapters 2–4 and perhaps also Chapter 5 and to pick up the problems they are particularly interested in. Almost all results are supplied with elementary geometric formulations accessible for nonspecialists. Finally, researchers with interest in the theory of integrable systems could start reading with Chapter 6 and consult the previous chapters for better understanding of the geometric origin of the consistency approach to integrability.




Figure 0.3. A suggestion for the focus on chapters, depending on the readers background.

Acknowledgements. Essential parts of this book are based on results obtained jointly with Vsevolod Adler, Tim Hoffmann, Daniel Matthes, Christian Mercat, Ulrich Pinkall, Helmut Pottmann, and Johannes Wallner. We warmly thank them for inspiring collaboration.

We are very grateful to Adam Doliwa, Udo Hertrich-Jeromin, Nicolai Reshetikhin, Wolfgang Schief, Peter Schröder, Boris Springborn, Sergey Tsarev, Alexander Veselov, Günter Ziegler for enjoyable and insightful discussions on discrete differential geometry which influenced the presentation in this book.

Special thanks go to Emanuel Huhnen-Venedey and Stefan Sechelmann for their help with the preparation of the manuscript and with the figures.

The support of the Deutsche Forschungsgemeinschaft (DFG) is gratefully acknowledged. During the work on this book the authors were partially

supported by the DFG Research Unit “Polyhedral Surfaces” and the DFG Research Center MATHEON “Mathematics for key technologies” in Berlin.

Bibliography

- [1] M. J. Ablowitz and P. A. Clarkson (1991), *Solitons, nonlinear evolution equations and inverse scattering*, London Mathematical Society Lecture Note Series, vol. 149, Cambridge University Press, Cambridge.
- [2] M. J. Ablowitz, D. J. Kaup, A. C. Newell, and H. Segur (1973), *Method for solving the Sine-Gordon equation*, Phys. Rev. Lett. **30**, no. 25, 1262–1264.
- [3] M. J. Ablowitz and J. F. Ladik (1975), *Nonlinear differential-difference equations*, J. Math. Phys. **16**, 598–603.
- [4] M. J. Ablowitz and H. Segur (1981), *Solitons and the inverse scattering transform*, SIAM Studies in Applied Mathematics, vol. 4, Society for Industrial and Applied Mathematics (SIAM), Philadelphia.
- [5] V. E. Adler (1993), *Cutting of polygons*, Funct. Anal. Appl. **27**, no. 2, 141–143.
- [6] ——— (1998), *Bäcklund transformation for the Krichever-Novikov equation*, Internat. Math. Res. Notices **1**, 1–4.
- [7] ——— (2000), *Legendre transformations on a triangular lattice*, Funct. Anal. Appl. **34**, no. 1, 1–9.
- [8] ——— (2001), *Discrete equations on planar graphs*, J. Phys. A **34**, no. 48, 10453–10460.
- [9] ——— (2006), *Some incidence theorems and integrable discrete equations*, Discrete Comput. Geom. **36**, no. 3, 489–498.
- [10] V. E. Adler, A. I. Bobenko, and Yu. B. Suris (2003), *Classification of integrable equations on quad-graphs. The consistency approach*, Commun. Math. Phys. **233**, 513–543.
- [11] ——— (2004), *Geometry of Yang–Baxter maps: pencils of conics and quadrirational mappings*, Commun. Anal. Geom. **12**, 967–1007.
- [12] ——— (2007), *Discrete nonlinear hyperbolic equations. Classification of integrable cases*, [arXiv:0705.1663 \[nlin.SI\]](https://arxiv.org/abs/0705.1663), to appear in Funct. Anal. and Appl.
- [13] V. E. Adler and Yu. B. Suris (2004), *Q4: Integrable master equation related to an elliptic curve*, Internat. Math. Res. Notices **47**, 2523–2553.
- [14] V. E. Adler and A. P. Veselov (2004), *Cauchy problem for integrable discrete equations on quad-graphs*, Acta Appl. Math. **84**, 237–262.

- [15] S. I. Agafonov (2003), *Embedded circle patterns with the combinatorics of the square grid and discrete Painlevé equations*, Discrete Comput. Geom. **29**, 305–319.
- [16] S. I. Agafonov and A. I. Bobenko (2000), *Discrete z' and Painlevé equations*, Internat. Math. Res. Notices **4**, 165–193.
- [17] ——— (2003), *Hexagonal circle patterns with constant intersection angles and discrete Painlevé and Riccati equations*, J. Math. Phys. **44**, 3455–3469.
- [18] A. A. Akhmetshin, Yu. S. Vol'vovskij, and I. M. Krichever (1999), *Discrete analogs of the Darboux-Egorov metrics*, Proc. Steklov Inst. Math. **225**, 16–39 (English translation of Tr. Mat. Inst. Steklova **225**, 21–45).
- [19] A. D. Alexandrov (2005), *Convex polyhedra*, Springer Monographs in Mathematics, Springer-Verlag, Berlin. (Translated from the 1950 Russian edition by N. S. Dairbekov, S. S. Kutateladze and A. B. Sossinsky, with comments and bibliography by V. A. Zalgaller and appendices by L. A. Shor and Yu. A. Volkov).
- [20] V. I. Arnold (1989), *Mathematical methods of classical mechanics*, 2nd ed., Graduate Texts in Mathematics, vol. 60, Springer-Verlag, New York.
- [21] J. Atkinson (2008), *Bäcklund transformations for integrable lattice equations*, J. Phys. A **41**, no. 13, 135202 (8 pp.).
- [22] J. Atkinson, J. Hietarinta, and F. Nijhoff (2007), *Seed and soliton solutions for Adler's lattice equation*, J. Phys. A **40**, no. 1, F1–F8.
- [23] O. Babelon, D. Bernard, and M. Talon (2003), *Introduction to classical integrable systems*, Cambridge Monographs on Mathematical Physics, Cambridge University Press, Cambridge.
- [24] A. V. Bäcklund (1884), *Om ytor med konstant negativ krökning*, Lund Årsskrift **19**, 1–48.
- [25] V. V. Bazhanov, V. V. Mangazeev, and S. M. Sergeev (2007), *Faddeev-Volkov solution of the Yang-Baxter equation and discrete conformal symmetry*, Nuclear Phys. B **784**, no. 3, 234–258.
- [26] ——— (2008), *Quantum geometry of 3-dimensional lattices*, arXiv: 0801.0129v1 [hep-th].
- [27] E. D. Belokolos, A. I. Bobenko, V. Z. Enol'skii, A. R. Its, and V. B. Matveev (1994), *Algebro-geometric approach to nonlinear integrable equations*, Springer Series in Nonlinear Dynamics, vol. 219, Springer-Verlag, Berlin.
- [28] A. Below, V. Krummeck, and J. Richter-Gebert (2003), *Complex matroids: phirotopes and their realizations in rank 2*, Discrete and computational geometry, Algorithms Combin., vol. 25, Springer, Berlin, pp. 203–233.
- [29] M. Berger (1987), *Geometry. I, II*, Springer, Berlin, x+406, xiv+428 pp.
- [30] L. Bianchi (1892), *Sulla trasformazione di Bäcklund per le superficie pseudosferiche*, Rom. Acc. L. Rend. **5**, 3–12.
- [31] ——— (1923), *Lezioni di geometria differenziale*, 3 ed., Enrico Spoerri, Pisa, iv+806, xi+832 pp.
- [32] W. Blaschke (1920), *Über affine Geometrie XXVI: Wackelige Achtfäche*, Math. Z. **6**, 85–93.
- [33] ——— (1929), *Vorlesungen über Differentialgeometrie III: Differentialgeometrie der Kreise und Kugeln*, Springer-Verlag, Berlin, x+474 pp.
- [34] ——— (1954), *Projektive Geometrie*, 3 ed., Birkhäuser, Basel, 197 pp.

- [35] A. I. Bobenko (1999), *Discrete conformal maps and surfaces*, Symmetries and Integrability of Difference Equations (Canterbury, 1996) (P. A. Clarkson and F. W. Nijhoff, eds.), London Math. Soc. Lecture Notes, vol. 255, Cambridge University Press, pp. 97–108.
- [36] A. I. Bobenko and U. Hertrich-Jeromin (2001), *Orthogonal nets and Clifford algebras*, Tôhoku Math. Publ. **20**, 7–22.
- [37] A. I. Bobenko and T. Hoffmann (2003), *Hexagonal circle patterns and integrable systems. Patterns with constant angles*, Duke Math. J. **116**, no. 3, 525–566.
- [38] A. I. Bobenko, T. Hoffmann, and B. A. Springborn (2006), *Discrete minimal surfaces: geometry from combinatorics*, Annals of Math. **164**, 231–264.
- [39] A. I. Bobenko, T. Hoffmann, and Yu. B. Suris (2002), *Hexagonal circle patterns and integrable systems: patterns with the multi-ratio property and Lax equations on the regular triangular lattice*, Int. Math. Res. Not. **3**, 111–164.
- [40] A. I. Bobenko, N. Kutz, and U. Pinkall (1993), *The discrete quantum pendulum*, Phys. Lett. A **177**, no. 6, 399–404.
- [41] A. I. Bobenko, D. Matthes, and Yu. B. Suris (2003), *Discrete and smooth orthogonal systems: C^∞ -approximation*, Int. Math. Res. Not. **45**, 2415–2459.
- [42] ——— (2005), *Nonlinear hyperbolic equations in surface theory: integrable discretizations and approximation results*, Algebra i Analiz **17**, no. 1, 53–83; English translation in St. Petersburg Math. J. **17** (2006), no. 1, 39–61.
- [43] A. I. Bobenko, Ch. Mercat, and Yu. B. Suris (2005), *Linear and nonlinear theories of discrete analytic functions. Integrable structure and isomonodromic Green’s function*, J. Reine Angew. Math. **583**, 117–161.
- [44] A. I. Bobenko and U. Pinkall (1996a), *Discrete surfaces with constant negative Gaussian curvature and the Hirota equation*, J. Differential Geom. **43**, 527–611.
- [45] ——— (1996b), *Discrete isothermic surfaces*, J. Reine Angew. Math. **475**, 187–208.
- [46] ——— (1999), *Discretization of surfaces and integrable systems*, Discrete integrable geometry and physics (A. I. Bobenko and R. Seiler, eds.), Clarendon Press, Oxford, pp. 3–58.
- [47] A. I. Bobenko, H. Pottmann, and J. Wallner (2008), *A curvature theory for discrete surfaces based on mesh parallelity*, Preprint.
- [48] A. I. Bobenko and W. K. Schief (1999a), *Discrete indefinite affine spheres*, Discrete integrable geometry and physics (A. I. Bobenko and R. Seiler, eds.), Clarendon Press, Oxford, pp. 113–138.
- [49] ——— (1999b), *Affine spheres: discretization via duality relations*, Experiment. Math. **8**, 261–280.
- [50] A. I. Bobenko, P. Schröder, J. M. Sullivan, and G. M. Ziegler (eds.) (2008), *Discrete differential geometry*, Oberwolfach Seminars, vol. 38, Birkhäuser, Basel.
- [51] A. I. Bobenko and R. Seiler (eds.) (1999), *Discrete integrable geometry and physics*, Oxford Lecture Series in Mathematics and its Applications, vol. 16, Clarendon Press, Oxford.
- [52] A. I. Bobenko and B. A. Springborn (2004), *Variational principles for circle patterns and Koebe’s theorem*, Trans. Amer. Math. Soc. **356**, 659–689.
- [53] A. I. Bobenko and Yu. B. Suris (2002a), *Integrable systems on quad-graphs*, Internat. Math. Res. Notices **11**, 573–611.
- [54] ——— (2002b), *Integrable noncommutative equations on quad-graphs. The consistency approach*, Lett. Math. Phys. **61**, 241–254.

- [55] ——— (2005), *Discrete differential geometry. Consistency as integrability*, [arXiv:math.DG/0504358](#), preliminary version of this book.
- [56] ——— (2007a), *On organizing principles of discrete differential geometry. Geometry of spheres*, Russian Math. Surveys **62**, no. 1, 1–43 (English translation of Uspekhi Mat. Nauk **62**, no. 1, 3–50).
- [57] ——— (2007b), *Isothermic surfaces in sphere geometries as Moutard nets*, Proc. Royal. Soc. A **463**, 3171–3193.
- [58] ——— (2007c), *Discrete Koenigs nets and discrete isothermic surfaces*, [arXiv:0709.3408 \[math.DG\]](#).
- [59] A. I. Bobenko and S. P. Tsarev (2007), *Curvature line parametrization from circle patterns*, [arXiv:0706.3221 \[math.DG\]](#).
- [60] L. V. Bogdanov and B. G. Konopelchenko (1995), *Lattice and q -difference Darboux-Zakharov-Manakov systems via $\bar{\partial}$ -dressing method*, J. Phys. A **28**, L173–L178.
- [61] G. Bol (1967), *Projektive Differentialgeometrie. Teil III*, Studia Mathematica/Mathematische Lehrbücher, Band 18, Vandenhoeck & Ruprecht, Göttingen.
- [62] O. Bonnet (1867), *Mémoire sur la théorie des surfaces applicables sur une surface donnée*, J. École Polytech. **42**, 1–151.
- [63] M. Botsch and L. Kobbelt (2004), *An intuitive framework for real time freeform modeling*, ACM Trans. Graph. **23**, no. 3, 630–634.
- [64] E. Bour (1862), *Théorie de la déformation des surfaces*, J. École Imperiale Polytech. **19**, no. 39, 1–48.
- [65] W. Brägger (1992), *Kreispackungen und Triangulierungen*, Enseign. Math. (2) **38**, no. 3-4, 201–217.
- [66] U. Bücking (2007), *Approximation of conformal mappings by circle patterns and discrete minimal surfaces*, PhD thesis, TU Berlin, <http://opus.kobv.de/tuberlin/volltexte/2008/1764/>.
- [67] F. E. Burstall (2006), *Isothermic surfaces: conformal geometry, Clifford algebras and integrable systems*, Integrable systems, geometry, and topology, AMS/IP Stud. Adv. Math., vol. 36, Amer. Math. Soc., Providence, RI, pp. 1–82.
- [68] F. E. Burstall and U. Hertrich-Jeromin (2006), *The Ribaucour transformation in Lie sphere geometry*, Differential Geom. Appl. **24**, no. 5, 503–520.
- [69] F. E. Burstall, U. Hertrich-Jeromin, F. Pedit, and U. Pinkall (1997), *Curved flats and isothermic surfaces*, Math. Z. **225**, no. 2, 199–209.
- [70] F. Calogero and A. Degasperis (1982), *Spectral transform and solitons. Vol. I*, Studies in Mathematics and its Applications, vol. 13, North-Holland Publishing Co., Amsterdam.
- [71] H. W. Capel and F. W. Nijhoff (1995), *The discrete Korteweg-de Vries equation*, Acta Appl. Math. **39**, 133–158.
- [72] T. E. Cecil (1992), *Lie sphere geometry. With applications to submanifolds*, Universitext, Springer-Verlag, New York.
- [73] J. Cieśliński (1999), *The Bäcklund transformation for discrete isothermic surfaces*, Symmetries and Integrability of Difference Equations (Canterbury, 1996) (P. A. Clarkson and F. W. Nijhoff, eds.), London Math. Soc. Lecture Notes, vol. 255, Cambridge University Press, pp. 109–121.
- [74] J. Cieśliński, A. Doliwa, and P. M. Santini (1997), *The integrable discrete analogues of orthogonal coordinate systems are multi-dimensional circular lattices*, Phys. Lett. A **235**, 480–488.

- [75] J. Cieřliński, P. Goldstein, and A. Sym (1995), *Isothermic surfaces in \mathbf{E}^3 as soliton surfaces*, Phys. Lett. A **205**, no. 1, 37–43.
- [76] W. K. Clifford (1871), *A synthetic proof of Miquel’s theorem*, Oxford Cambridge Dublin Messenger Math. **5**, 124–141.
- [77] Y. Colin de Verdière (1991), *Un principe variationnel pour les empilements de cercles*, Invent. Math. **104**, 655–669.
- [78] J. L. Coolidge (1916), *A treatise on the circle and the sphere*, Chelsea Publishing Co., Bronx, N.Y., 1971, Reprint of the 1916 edition.
- [79] H. Cox (1891), *Application of Grassmann’s Ausdehnungslehre to properties of circles*, Quart. J. Math. **25**, 1–71.
- [80] H. S. M. Coxeter (1969), *Introduction to geometry*, 2nd ed., John Wiley & Sons Inc., New York.
- [81] G. Darboux (1910), *Leçons sur les systèmes orthogonaux et les coordonnées curvilignes*, 2nd ed., Gauthier-Villars, Paris, vii+567 pp.
- [82] ——— (1914–27), *Leçons sur la théorie générale des surfaces et les applications géométriques du calcul infinitésimal*, 3rd ed., vols. I–IV, Gauthier-Villars, Paris.
- [83] E. Date, M. Jimbo, and T. Miwa (1982), *Method for generating discrete soliton equations. I-II*, J. Phys. Soc. Japan **51**, 4116–4124, 4125–4131.
- [84] ——— (1983), *Method for generating discrete soliton equations. III-V*, J. Phys. Soc. Japan **52**, 388–393, 761–765, 766–771.
- [85] A. Demoulin (1910), *Sur les systèmes et les congruences K*, C.R. Acad. Sci. Paris **150**, 156–159.
- [86] M. Desbrun, E. Grinspun, and P. Schröder (2005), *Discrete differential geometry: An applied introduction*, SIGGRAPH course, The Discrete Differential Geometry Forum at ddg.cs.columbia.edu.
- [87] M. Desbrun, M. Meyer, and P. Alliez (2002), *Intrinsic parametrizations of surface meshes*, Comput. Graph. Forum **21**, 209–218.
- [88] N. P. Dolbilin, M. A. Shtan’ko, and M. I. Shtogrin (1986), *Cubic subcomplexes in regular lattices*, Dokl. Akad. Nauk SSSR **291**, 277–279.
- [89] ——— (1994), *Cubic manifolds in lattices*, Izv. Ross. Akad. Nauk Ser. Mat. (Russian) **58**, 93–107; English translation in: Russian Acad. Sci. Izv. Math. **44** (1995), 301–313.
- [90] A. Doliwa (1997), *Geometric discretization of the Toda system*, Phys. Lett. A. **234**, 187–192.
- [91] ——— (1999), *Quadratic reductions of quadrilateral lattices*, J. Geom. Phys. **30**, 169–186.
- [92] ——— (2001a), *Discrete asymptotic nets and W-congruences in Plücker line geometry*, J. Geom. Phys. **39**, 9–29.
- [93] ——— (2001b), *The Ribaucour congruences of spheres within Lie sphere geometry*, Bäcklund and Darboux transformations. The geometry of solitons (Halifax, NS, 1999), CRM Proc. Lecture Notes, vol. 29, Amer. Math. Soc., Providence, RI, pp. 159–166.
- [94] ——— (2003), *Geometric discretization of the Koenigs nets*, J. Math. Phys. **44**, 2234–2249.
- [95] ——— (2007a), *The B-quadrilateral lattice, its transformations and the algebro-geometric construction*, J. Geom. Phys. **57**, no. 4, 1171–1192.

- [96] ——— (2007b), *Generalized isothermic lattices*, J. Phys. A **40**, 12539–12561.
- [97] A. Doliwa, P. Grinevich, M. Nieszporski, and P. M. Santini (2007), *Integrable lattices and their sub-lattices: from the discrete Moutard (discrete Cauchy-Riemann) 4-point equation to the self-adjoint 5-point scheme*, J. Math. Phys. **48**, no. 013513, 28 pp.
- [98] A. Doliwa, S. V. Manakov, and P. M. Santini (1998), *$\bar{\partial}$ -reductions of the multidimensional quadrilateral lattice. The multidimensional circular lattice*, Commun. Math. Phys. **196**, 1–18.
- [99] A. Doliwa, M. Mañas, and L. Martínez Alonso (1999), *Generating quadrilateral and circular lattices in KP theory*, Phys. Lett. A **262**, no. 4-5, 330–343.
- [100] A. Doliwa, M. Nieszporski, and P. M. Santini (2001), *Asymptotic lattices and their integrable reductions: I. The Bianchi-Ernst and the Fubini-Ragazzi lattices*, J. Phys. A **34**, 10423–10439.
- [101] ——— (2004), *Geometric discretization of the Bianchi system*, J. Geom. Phys. **52**, 217–240.
- [102] A. Doliwa and P. M. Santini (1997), *Multidimensional quadrilateral lattices are integrable*, Phys. Lett. A **233**, 265–372.
- [103] ——— (2000), *The symmetric, d-invariant and Egorov reductions of the quadrilateral lattice*, J. Geom. Phys. **36**, 60–102.
- [104] A. Doliwa, P. M. Santini, and M. Mañas (2000), *Transformations of quadrilateral lattices*, J. Math. Phys. **41**, 944–990.
- [105] V. G. Drinfeld (1992), *On some unsolved problems in quantum group theory*, Lecture Notes Math., vol. 1510, Springer, Berlin, pp. 1–8.
- [106] B. A. Dubrovin (1991), *Geometry of Hamiltonian evolutionary systems*, Monographs and Textbooks in Physical Science. Lecture Notes, vol. 22, Bibliopolis, Naples.
- [107] B. A. Dubrovin, I. M. Krichever, and S. P. Novikov (2001), *Integrable systems. I*, Dynamical systems, IV, Encyclopaedia Math. Sci., vol. 4, Springer, Berlin, pp. 177–332.
- [108] ——— (2004), *Topological and algebraic geometry methods in contemporary mathematical physics*, Classic Reviews in Mathematics and Mathematical Physics, vol. 2, Cambridge Scientific Publishers, Cambridge.
- [109] R. J. Duffin (1956), *Basic properties of discrete analytic functions*, Duke Math. J. **23**, 335–363.
- [110] ——— (1968), *Potential theory on a rhombic lattice*, J. Combinatorial Theory **5**, 258–272.
- [111] I. A. Dynnikov and S. P. Novikov (1997), *Discrete spectral symmetries of small-dimensional differential operators and difference operators on regular lattices and two-dimensional manifolds*, Uspekhi Mat. Nauk **52**, no. 5, 175–234; English translation, Russian Math. Surveys **52**, 1057–1116.
- [112] ——— (2003), *Geometry of the triangle equation on two-manifolds*, Mosc. Math. J. **3**, 419–438.
- [113] G. Dziuk and J. E. Hutchinson (1999), *The discrete Plateau problem: convergence results*, Math. Comp. **68**, no. 225, 1–23 and no. 226, 519–546.
- [114] L. P. Eisenhart (1909), *A treatise on the differential geometry of curves and surfaces*, Ginn and Co., Boston, ix+379 pp.
- [115] ——— (1923), *Transformations of surfaces*, Princeton University Press, ix+379 pp.
- [116] P. Etingof (2003), *Geometric crystals and set-theoretical solutions to the quantum Yang-Baxter equation*, Comm. Algebra **31**, no. 4, 1961–1973.

- [117] L. D. Faddeev and L. A. Takhtajan (1986), *Hamiltonian methods in the theory of solitons*, Springer Series in Soviet Mathematics, Springer-Verlag, Berlin, 1987; Translated from the 1986 Russian original.
- [118] L. D. Faddeev and A. Yu. Volkov (1994), *Hirota equation as an example of an integrable symplectic map*, Lett. Math. Phys. **32**, no. 2, 125–135.
- [119] E. V. Ferapontov (2000a), *Integrable systems in projective differential geometry*, Kyushu J. Math. **54**, no. 1, 183–215.
- [120] E. V. Ferapontov (2000b), *Lie sphere geometry and integrable systems*, Tohoku Math. J. (2) **52**, no. 2, 199–233.
- [121] J. Ferrand (1944), *Fonctions préharmoniques et fonctions préholomorphes*, Bull. Sci. Math, 2nd ser. **68**, 152–180.
- [122] D. Ferus and F. Pedit (1996), *Curved flats in symmetric spaces*, Manuscripta Math. **91**, no. 4, 445–454.
- [123] A. S. Fokas, A. R. Its, A. A. Kapaev, and V. Yu. Novokshenov (2006), *Painlevé transcendents. The Riemann-Hilbert approach*, Mathematical Surveys and Monographs, vol. 128, AMS, Providence.
- [124] A. P. Fordy and J. C. Wood (eds.) (1994), *Harmonic maps and integrable systems*, Aspects of Mathematics, E23, Vieweg, Braunschweig.
- [125] E. I. Ginzburg and S. P. Tsarev (1996), *An algebraic superposition formula and the completeness of Bäcklund transformations of $(2+1)$ -dimensional integrable systems*, Uspekhi Mat. Nauk **51**, no. 6, 197–198; English translation, Russian Math. Surveys **51**, 1200–1202.
- [126] C. S. Gardner, J. M. Green, M. D. Kruskal, and R. M. Miura (1967), *Method for solving the Korteweg-de Vries equation*, Phys. Rev. Lett. **19**, 1095–1097.
- [127] W. Godt (1896), *Ueber eine merkwürdige Kreisfigur*, Math. Ann. **47**, 564–572.
- [128] V. M. Goncharenko and A. P. Veselov (2004), *Yang-Baxter maps and matrix solitons*, New trends in integrability and partial solvability, NATO Sci. Ser. II Math. Phys. Chem., vol. 132, Kluwer Acad. Publ., Dordrecht, pp. 191–197.
- [129] Z.-X. He, *Rigidity of infinite disk patterns* (1999), Ann. of Math. **149**, 1–33.
- [130] Z.-X. He and O. Schramm (1998), *The C^∞ -convergence of hexagonal disc packings to Riemann maps*, Acta Math. **180**, 219–245.
- [131] U. Hertrich-Jeromin (2000), *Transformations of discrete isothermic nets and discrete cmc-1 surfaces in hyperbolic space*, Manuscripta Math. **102**, 465–486.
- [132] ——— (2003), *Introduction to Möbius differential geometry*, Cambridge University Press, xii+413 pp.
- [133] U. Hertrich-Jeromin, T. Hoffmann, and U. Pinkall (1999), *A discrete version of the Darboux transform for isothermic surfaces*, Discrete integrable geometry and physics (A. I. Bobenko and R. Seiler, eds.), Clarendon Press, Oxford, pp. 59–81.
- [134] U. Hertrich-Jeromin and F. Pedit (1997), *Remarks on the Darboux transform of isothermic surfaces*, Doc. Math. **2**, 313–333 (electronic).
- [135] J. Hietarinta (2004), *A new two-dimensional lattice model that is ‘consistent around a cube’*, J. Phys. A **37**, no. 6, L67–L73.
- [136] ——— (2005), *Searching for CAC-maps*, J. Nonlinear Math. Phys. **12**, suppl. 2, 223–230.
- [137] K. Hildebrandt, K. Polthier, and M. Wardetzky (2006), *On the convergence of metric and geometric properties of polyhedral surfaces*, Geom. Dedicata **123**, 89–112.

- [138] R. Hirota (1977a), *Nonlinear partial difference equations. I. A difference analog of the Korteweg–de Vries equation*, J. Phys. Soc. Japan **43**, 1423–1433.
- [139] ——— (1977b), *Nonlinear partial difference equations. III. Discrete sine-Gordon equation*, J. Phys. Soc. Japan **43**, 2079–2086.
- [140] ——— (1992), *The direct method in soliton theory*, Cambridge Tracts in Mathematics, vol. 155, Cambridge University Press, Cambridge, 2004; Translated from the 1992 Japanese original.
- [141] N. J. Hitchin, G. B. Segal, and R. S. Ward (1999), *Integrable systems. Twistors, loop groups, and Riemann surfaces*, Oxford Graduate Texts in Mathematics, vol. 4, Clarendon Press, Oxford.
- [142] T. Hoffmann (1999), *Discrete Amsler surfaces and a discrete Painlevé III equation*, Discrete integrable geometry and physics (A. I. Bobenko and R. Seiler, eds.), Oxford Lecture Ser. Math. Appl., vol. 16, Oxford Univ. Press, New York, pp. 83–96.
- [143] ——— (2008), *Discrete Hashimoto surfaces and a doubly discrete smoke-ring flow*, Discrete differential geometry (A. I. Bobenko, P. Schröder, J. M. Sullivan, and G. M. Ziegler, eds.), Oberwolfach Seminars, vol. 38, Birkhäuser, pp. 95–115.
- [144] ———, *Darboux transformation for S-isothermic surfaces*, In preparation.
- [145] B. Janzen and K. Polthier (2007), *MESH. A Journey Through Discrete Geometry*, Springer, xxii+2, DVD.
- [146] H. Jonas (1915), *Über die Transformation der konjugierten Systeme und über den gemeinsamen Ursprung der Bianchischen Permutabilitätstheoreme*, Sitzungsber. Berl. Math. Ges. **14**, 96–118.
- [147] G. Kamberov, F. Pedit, and U. Pinkall (1998), *Bonnet pairs and isothermic surfaces*, Duke Math. J. **92**, no. 3, 637–644.
- [148] R. M. Kashaev (1996), *On discrete three-dimensional equations associated with the local Yang–Baxter relation*, Lett. Math. Phys. **38**, 389–397.
- [149] R. M. Kashaev, I. G. Korepanov, and S. M. Sergeev (1998), *The functional tetrahedron equation*, Theor. and Math. Phys. **117**, 1402–1413.
- [150] R. Kenyon (2002), *The Laplacian and Dirac operators on critical planar graphs*, Invent. Math. **150**, 409–439.
- [151] R. Kenyon and J.-M. Schlenker (2004), *Rhombic embeddings of planar quad-graphs*, Trans. Amer. Math. Soc. **357**, 3443–3458.
- [152] A. D. King and W. K. Schief (2006), *Application of an incidence theorem for conics: Cauchy problem and integrability of the dCKP equation*, J. Phys. A **39**, no. 8, 1899–1913.
- [153] G. Koenigs (1891), *Sur les systèmes conjugués à invariants égaux*, C. R. Acad. Sci. **CXIII**, 1022–1024.
- [154] ——— (1892a), *Sur les réseaux plans à invariants égaux et les lignes asymptotiques*, C. R. Acad. Sci. **CXIV**, 55–57.
- [155] ——— (1892b), *Sur les réseaux plans à invariants égaux.*, C. R. Acad. Sci. **CXIV**, 728–729.
- [156] A. Kokotsakis (1932), *Über bewegliche Polyeder*, Math. Ann. **107**, 627–647.
- [157] B. G. Konopelchenko and U. Pinkall (2000), *Projective generalizations of Lelievre’s formula*, Geom. Dedicata **79**, 81–99.
- [158] B. G. Konopelchenko and W. K. Schief (1998), *Three-dimensional integrable lattices in Euclidean spaces: conjugacy and orthogonality*, R. Soc. Lond. Proc. Ser. A **454**, 3075–3104.

- [159] ——— (2002a), *Reciprocal figures, graphical statics, and inversive geometry of the Schwarzian BKP hierarchy*, Stud. Appl. Math. **109**, no. 2, 89–124.
- [160] ——— (2002b), *Menelaus' theorem, Clifford configurations and inversive geometry of the Schwarzian KP hierarchy*, J. Phys. A **35**, no. 29, 6125–6144.
- [161] ——— (2005), *Conformal geometry of the (discrete) Schwarzian Davey-Stewartson II hierarchy*, Glasgow Math. J. **47**, no. A, 121–131.
- [162] V. E. Korepin, N. M. Bogoliubov, and A. G. Izergin (1992), *Quantum inverse scattering method and correlation functions*, Cambridge Monographs on Mathematical Physics, Cambridge University Press, Cambridge, 1993; Translated from the 1992 Russian original.
- [163] D. J. Korteweg and G. de Vries (1895), *On the change of form of long waves advancing in a rectangular canal, and on a new type of long stationary waves*, Phil. Mag. **39**, 422–443.
- [164] I. M. Krichever (1978), *Algebraic curves and nonlinear difference equations*, Uspekhi Mat. Nauk **33**, no. 4(202), 215–216.
- [165] ——— (1985), *Two-dimensional periodic difference operators and algebraic geometry*, Soviet Math. Dokl. **32**, no. 3, 623–627; English translation of Dokl. Akad. Nauk SSSR **285**, no. 1, 31–36.
- [166] ——— (1997), *Algebraic-geometric n -orthogonal curvilinear coordinate systems and the solution of associativity equations*, Funct. Anal. Appl. **31**, 25–39.
- [167] ——— (2006), *Characterizing Jacobians via trisecants of the Kummer variety*, [arXiv:math/0605625](https://arxiv.org/abs/math/0605625) [math.AG].
- [168] I. M. Krichever and S. P. Novikov (1999), *Trivalent graphs and solitons*, Uspekhi Mat. Nauk **54**, no. 6, 149–150.
- [169] ——— (2003), *A two-dimensionalized Toda chain, commuting difference operators, and holomorphic vector bundles*, Uspekhi Mat. Nauk **58**, no. 3(351), 51–88.
- [170] B. A. Kupershmidt (2000), *KP or mKP. Noncommutative mathematics of Lagrangian, Hamiltonian, and integrable systems*, Mathematical Surveys and Monographs, vol. 78, AMS, Providence.
- [171] E. P. Lane (1942), *A Treatise on Projective Differential Geometry*, University of Chicago Press, Chicago.
- [172] Y. Liu, H. Pottmann, J. Wallner, Y.-L. Yang, and W. Wang (2006), *Geometric modelling with conical meshes and developable surfaces*, ACM Trans. Graphics **25**, no. 3, 681–689.
- [173] J.-M. Maillet and F. Nijhoff (1989), *Integrability for multidimensional lattice models*, Phys. Lett. B **224**, no. 4, 389–396.
- [174] D. Matthes (2004), *Discrete surfaces and coordinate systems: Approximation theorems and computation*, PhD thesis, TU Berlin, <http://opus.kobv.de/tuberlin/volltexte/2004/606/>.
- [175] V. B. Matveev (2000), *Darboux transformations, covariance theorems and integrable systems*, L.D. Faddeev's Seminar on Mathematical Physics, Amer. Math. Soc. Transl. Ser. 2, vol. 201, AMS, Providence, pp. 179–209.
- [176] V. B. Matveev and M. A. Salle (1991), *Darboux transformations and solitons*, Springer Series in Nonlinear Dynamics, Springer-Verlag, Berlin, ix+120 pp.
- [177] Ch. Mercat (2001), *Discrete Riemann surfaces and the Ising model*, Commun. Math. Phys. **218**, 177–216.

- [178] ——— (2004), *Exponentials form a basis of discrete holomorphic functions*, Bull. Soc. Math. France **132**, 305–326.
- [179] A. Miquel (1838a), *Théorèmes de géométrie*, J. Math. Pures Appl. (Liouville J.) **3**, 485–487.
- [180] ——— (1838b), *Théorèmes sur les intersections des cercles et des sphères*, J. Math. Pures Appl. (Liouville J.) **3**, 517–522.
- [181] T. Miwa (1982), *On Hirota's difference equations*, Proc. Japan Acad., Ser. A (Math. Sci.) **58**, 9–12.
- [182] A. F. Möbius (1828), *Kann von zwei dreiseitigen Pyramiden eine jede in Bezug auf andere um- und eingeschrieben zugleich heissen?*, J. Reine und Angew. Math. **3**, 273–278.
- [183] J. Moser and A. P. Veselov (1991), *Discrete versions of some classical integrable systems and factorization of matrix polynomials*, Comm. Math. Phys. **139**, no. 2, 217–243.
- [184] Th. F. Moutard (1878), *Sur la construction des équations de la forme $\frac{1}{z} \frac{\partial^2 z}{\partial x \partial y} = \lambda(x, y)$ qui admettent une intégrale générale explicite*, J. Éc. Pol. **45**, 1–11.
- [185] E. H. Neville (1926), *The inverse of the Miquel-Clifford configuration*, J. Indian Math. Soc. **16**, 241–247.
- [186] A. C. Newell (1985), *Solitons in mathematics and physics*, CBMS-NSF Regional Conference Series in Applied Mathematics, vol. 48, SIAM, Philadelphia.
- [187] F. W. Nijhoff (1996), *On some “Schwarzian” equations and their discrete analogues*, Algebraic aspects of integrable systems. In memory of Irene Dorfman (A. S. Fokas and I. M. Gelfand, eds.), Birkhäuser, Basel, pp. 237–260.
- [188] ——— (2002), *Lax pair for the Adler (lattice Krichever-Novikov) system*, Phys. Lett. A **297**, 49–58.
- [189] F. W. Nijhoff, A. Ramani, B. Grammaticos, and Y. Ohta (2001), *On discrete Painlevé equations associated with the lattice KdV systems and the Painlevé VI equation*, Stud. Appl. Math. **106**, 261–314.
- [190] F. W. Nijhoff and A. J. Walker (2001), *The discrete and continuous Painlevé VI hierarchy and the Garnier systems*, Glasg. Math. J. **43A**, 109–123.
- [191] J. J. C. Nimmo (2006), *On a non-Abelian Hirota-Miwa equation*, J. Phys. A **39**, no. 18, 5053–5065.
- [192] J. J. C. Nimmo and W. K. Schief (1997), *Superposition principles associated with the Moutard transformation: an integrable discretization of a $(2+1)$ -dimensional sine-Gordon system*, Proc. Roy. Soc. London Ser. A **453**, 255–279.
- [193] M. Noumi and Y. Yamada (1998), *Affine Weyl groups, discrete dynamical systems and Painlevé equations*, Comm. Math. Phys. **199**, no. 2, 281–295.
- [194] S. P. Novikov (1999a), *Schrödinger operators on graphs and symplectic geometry*, The Arnoldfest, Fields Inst. Commun., vol. 24, AMS, Providence, pp. 397–413.
- [195] ——— (1999b), *The discrete Schrödinger operator*, Tr. Mat. Inst. Steklova **224**, 275–290; English translation, Proc. Steklov Inst. Math. **224**, 250–265.
- [196] S. P. Novikov, S. V. Manakov, L. P. Pitaevskii, and V. E. Zakharov (1980), *Theory of solitons. The inverse scattering method*, Contemporary Soviet Mathematics, Consultants Bureau [Plenum], New York, 1984; Translated from the Russian 1980 original.
- [197] A. W. Nutbourne and R. R. Martin (1988), *Differential geometry applied to curve and surface design*. Vol. 1, Foundations, Ellis Horwood Ltd., Chichester.

- [198] V. G. Papageorgiou, A. G. Tongas, and A. P. Veselov (2006), *Yang-Baxter maps and symmetries of integrable equations on quad-graphs*, J. Math. Phys. **47**, no. 8, 083502, 16 pp.
- [199] D. Pedoe (1970), *A course of geometry for colleges and universities*, Cambridge University Press, London.
- [200] U. Pinkall (2008), *Designing cylinders with constant negative Gaussian curvature*, Discrete differential geometry (A. I. Bobenko, P. Schröder, J. M. Sullivan, and G. M. Ziegler, eds.), Oberwolfach Seminars, vol. 38, Birkhäuser, pp. 57–66.
- [201] U. Pinkall and K. Polthier (1993), *Computing discrete minimal surfaces and their conjugates*, Experiment. Math. **2**, no. 1, 15–36.
- [202] U. Pinkall, B. Springborn, and S. Weißmann (2007), *A new doubly discrete analogue of smoke ring flow and the real time simulation of fluid flow*, J. Phys. A **40**, 12563–12576.
- [203] A. V. Pogorelov (1973), *Extrinsic geometry of convex surfaces*, Translations of Mathematical Monographs, vol. 35, AMS, Providence.
- [204] H. Pottmann, A. Asperl, M. Hofer, and A. Kilian (2007), *Architectural Geometry*, Bentley Institute Press, Exton.
- [205] H. Pottmann, Y. Liu, J. Wallner, A. I. Bobenko, and W. Wang (2007), *Geometry of multi-layer freeform structures for architecture*, ACM Trans. Graphics **26**, no. 3, 65–1–65–12.
- [206] H. Pottmann and J. Wallner (2008), *The focal geometry of circular and conical meshes*, Adv. Comp. Math. **29**, no. 3, 249–268.
- [207] G. R. W. Quispel, F. W. Nijhoff, H. W. Capel, and J. van der Linden (1984), *Linear integral equations and nonlinear difference-difference equations*, Physica A **125**, no. 2-3, 344–380.
- [208] A. Ramani, N. Joshi, B. Grammaticos, and T. Tamizhmani (2006), *Deconstructing an integrable lattice equation*, J. Phys. A **39**, no. 8, L145–L149.
- [209] O. G. Rasin and P. E. Hydon (2007), *Symmetries of integrable difference equations on the quad-graph*, Stud. Appl. Math. **119**, no. 3, 253–269.
- [210] A. G. Reyman and M. A. Semenov-Tian-Shansky (2003), *Integrable Systems*, ICS, Moscow-Izhevsk. (Russian)
- [211] I. Rivin (1994), *Euclidean structures on simplicial surfaces and hyperbolic volume*, Ann. of Math. **139**, 553–580.
- [212] B. Rodin and D. Sullivan (1987), *The convergence of circle packings to Riemann mapping*, J. Diff. Geom. **26**, 349–360.
- [213] C. Rogers and W. K. Schief (2002), *Bäcklund and Darboux transformations. Geometry and modern applications in soliton theory*, Cambridge Texts in Applied Mathematics, Cambridge University Press, Cambridge.
- [214] R. Sauer (1933), *Wackelige Kurvennetze bei einer infinitesimalen Flächenverbiegung*, Math. Ann. **108**, 673–693.
- [215] ——— (1934), *Krümmungsfeste Kurven bei einer infinitesimalen Flächenverbiegung*, Math. Z. **38**, 468–475.
- [216] ——— (1935), *Infinitesimale Verbiegungen zueinander projektiver Flächen*, Math. Ann. **111**, 71–82.
- [217] ——— (1937), *Projektive Liniengeometrie*, W. de Gruyter & Co., Berlin, 194 pp.
- [218] ——— (1950), *Parallelogrammgitter als Modelle pseudosphärischer Flächen*, Math. Z. **52**, 611–622.

- [219] ——— (1970), *Differenzengeometrie*, Springer, Berlin, 234 pp.
- [220] R. Sauer and H. Graf (1931), *Über Flächenverbiegung in Analogie zur Verknickung offener Facettenfläche*, Math. Ann. **105**, 499–535.
- [221] W. K. Schief (2001), *Isothermic surfaces in spaces of arbitrary dimension: integrability, discretization and Bäcklund transformations. A discrete Calapso equation*, Stud. Appl. Math. **106**, 85–137.
- [222] ——— (2003a), *On the unification of classical and novel integrable surfaces. ii. difference geometry*, R. Soc. Lond. Proc. Ser. A **459**, 373–391.
- [223] ——— (2003b), *Lattice geometry of the discrete Darboux, KP, BKP and CKP equations. Menelaus' and Carnot's theorems*, J. Nonlin. Math. Phys. **10**, Suppl. 2, 194–208.
- [224] ——— (2006), *On a maximum principle for minimal surfaces and their integrable discrete counterparts*, J. Geom. Phys. **56**, no. 9, 1484–1495.
- [225] ——— (2007), *Discrete Chebyshev nets and a universal permutability theorem*, J. Phys. A **40**, no. 18, 4775–4801.
- [226] W. K. Schief, A. I. Bobenko, and T. Hoffmann (2008), *On the integrability of infinitesimal and finite deformations of polyhedral surfaces*, Discrete Differential Geometry (A. I. Bobenko, P. Schröder, J. M. Sullivan, and G. M. Ziegler, eds.), Oberwolfach Seminars, vol. 38, Birkhäuser, pp. 67–93.
- [227] O. Schramm (1997), *Circle patterns with the combinatorics of the square grid*, Duke Math. J. **86**, 347–389.
- [228] S. M. Sergeev (2007), *Quantization of three-wave equations*, J. Phys. A **40**, 12709–12724.
- [229] M. A. Shtan'ko and M. I. Shtogrin (1992), *Embedding cubic manifolds and complexes into a cubic lattice*, Uspekhi Mat. Nauk **47**, no. 1, 219–220; English translation, Russian Math. Surveys **47**, no. 1, 267–268.
- [230] K. Stephenson (2005), *Introduction to the theory of circle packing: discrete analytic functions*, Cambridge University Press, 400 pp.
- [231] Yu. B. Suris (1989), *Integrable mappings of standard type*, Funct. Anal. Appl. **23**, no. 1, 74–76.
- [232] ——— (2003), *The problem of integrable discretization: Hamiltonian approach*, Progress in Mathematics, vol. 219, Birkhäuser Verlag, Basel, xxi+1070 pp.
- [233] Yu. B. Suris and A. P. Veselov (2003), *Lax matrices for Yang-Baxter maps*, J. Nonlinear Math. Phys. **10**, Suppl. 2, 223–230.
- [234] A. Sym (1985), *Soliton surfaces and their applications (soliton geometry from spectral problems)*, Geometric aspects of the Einstein equations and integrable systems, Lecture Notes in Phys., vol. 239, Springer, Berlin, pp. 154–231.
- [235] L. A. Takhtajan (1974), *Exact theory of propagation of ultrashort optical pulses in two-level media*, J. Exp. Theor. Phys. **39**, no. 2, 228–233.
- [236] C.-L. Terng and K. Uhlenbeck (2000), *Bäcklund transformations and loop group actions*, Comm. Pure Appl. Math. **53**, no. 1, 1–75.
- [237] W. P. Thurston (1985), *The finite Riemann mapping theorem*, Invited talk at the International Symposium on the occasion of the proof of the Bieberbach conjecture, Purdue University.
- [238] ——— (1997), *Three-dimensional geometry and topology. Vol.1*, Princeton Univ. Press.

- [239] M. Toda (1978), *Theory of nonlinear lattices*, second ed., Springer Series in Solid-State Sciences, vol. 20, Springer-Verlag, Berlin, 1989; Translated from the 1978 Japanese original.
- [240] A. Tongas, D. Tsoubelis, and P. Xenitidis (2001), *A family of integrable nonlinear equations of hyperbolic type*, J. Math. Phys. **42**, no. 12, 5762–5784.
- [241] S. P. Tsarev and T. Wolf (2007), *Classification of 3-dimensional integrable scalar discrete equations*, [arXiv:0706.2464v3 \[nlin.SI\]](#).
- [242] G. Tzitzéica (1924), *Géométrie différentielle projective des réseaux*, Cultura Nationala, Bucharest.
- [243] A. P. Veselov (1991), *Integrable mappings*, Russian Math. Surveys **46**, no. 5, 1–51.
- [244] ——— (2003), *Yang-Baxter maps and integrable dynamics*, Phys. Lett. A **314**, 214–221.
- [245] ——— (2007), *Yang-Baxter maps: dynamical point of view*, Combinatorial aspect of integrable systems, MSJ Mem., vol. 17, Math. Soc. Japan, Tokyo, pp. 145–167.
- [246] J. Wallner and H. Pottmann (2008), *Infinitesimally flexible meshes and discrete minimal surfaces*, Monatshefte Math. **153**, no. 4, 347–365.
- [247] W. Wang, J. Wallner, and Y. Liu (2007), *An angle criterion for conical mesh vertices*, J. Geometry Graphics **11**, no. 2, 199–208.
- [248] W. Wunderlich (1951), *Zur Differenzengeometrie der Flächen konstanter negativer Krümmung*, Österreich. Akad. Wiss. Math.-Nat. Kl. **160**, 39–77.
- [249] V. E. Zakharov (ed.) (1991), *What is integrability?*, Springer Series in Nonlinear Dynamics, Springer-Verlag, Berlin.
- [250] ——— (1998), *Description of the n -orthogonal curvilinear coordinate systems and Hamiltonian integrable systems of hydrodynamic type. I. Integration of the Lamé equations*, Duke Math. J. **94**, no. 1, 103–139.
- [251] P. Ziegenbein (1940), *Konfigurationen in der Kreisgeometrie*, J. Reine Angew. Math. **183**, 9–24.